go displays

01733 232000
sales@go-displays.co.uk
www.go-displays.co.uk

LuMax Lightbox

Graphic files have to be prepared:

1550mm W x 2050mm H

- ☑ 1:1 scale
- ☑ CMYK
- ☑ Without bleeds.
- ☑ DPI 120 ppi
- ☑ PDF file
- ☑ Flattened (without layers)
- ☑ Without crop marks
- ☑ Delete all cutout lines
- ☑ Without overprint attribute
- ☑ Keep the secure area

FILE NAMES SHOULD LOOK LIKE:
SYSTEMNAME_FRONT/BACK_DIMENSIONS.

1

1550 x 2050 [mm]

go displays

01733 232000
sales@go-displays.co.uk
www.go-displays.co.uk

LuMax Lightbox

Graphic files have to be prepared:

2070mm W x 2050mm H

- ☑ 1:1 scale
- ☑ CMYK
- ☑ Without bleeds.
- ☑ DPI 120 ppi
- ☑ PDF file
- ☑ Flattened (without layers)
- ☑ Without crop marks
- ☑ Delete all cutout lines
- ☑ Without overprint attribute
- ☑ Keep the secure area

FILE NAMES SHOULD LOOK LIKE:
SYSTEMNAME_FRONT/BACK_DIMENSIONS.

1

2070 x 2050 [mm]

go displays

01733 232000
sales@go-displays.co.uk
www.go-displays.co.uk

LuMax Lightbox

Graphic files have to be prepared:

2070mm W x 2545mm H

- ☑ 1:1 scale
- ☑ CMYK
- ☑ Without bleeds.
- ☑ DPI 120 ppi
- ☑ PDF file
- ☑ Flattened (without layers)
- ☑ Without crop marks
- ☑ Delete all cutout lines
- ☑ Without overprint attribute
- ☑ Keep the secure area

FILE NAMES SHOULD LOOK LIKE:
SYSTEMNAME_FRONT/BACK_DIMENSIONS.

1

2070 x 2545 [mm]

go displays

01733 232000
sales@go-displays.co.uk
www.go-displays.co.uk

LuMax Lightbox

Graphic files have to be prepared:

4100mm W x 2545mm H

- ☑ 1:1 scale
- ☑ CMYK
- ☑ Without bleeds.
- ☑ DPI 120 ppi
- ☑ PDF file
- ☑ Flattened (without layers)
- ☑ Without crop marks
- ☑ Delete all cutout lines
- ☑ Without overprint attribute
- ☑ Keep the secure area

FILE NAMES SHOULD LOOK LIKE:
SYSTEMNAME_FRONT/BACK_DIMENSIONS.

1

4100 x 2545 [mm]