go displays

01733 232000
sales@go-displays.co.uk
www.go-displays.co.uk

Artwork Specification – Tex-Flex PR

Artwork should be provided as a high resolution PDF to the following specification

- CMYK colour profile
- Vector format/ 300dpi or higher
- Text outlined
- Images linked/embedded
- Layers flattened

No bleed or crop marks required

Artwork should be supplied at full size

Front & Back 1 Artwork Size: 3200mm (W) x 2545mm (H) | Front & Back 2 Artwork Size: 1700mm (W) x 1650mm (H)
Base Artwork Size: 500mm (W) x 1600mm (H) | Top Artwork Size: 500mm (W) x 3200mm (H)
Left & Right Artwork Size: 500mm (W) x 4250mm (H) | Side rings Artwork Size: 500mm (W) x 2000mm (H)
Ring 1 & 2 Artwork Size: 1100mm (W) x 1100mm (H) | Ring 3 & 4 Artwork Size: 1100mm (W) x 600mm (H)

Delete all the cutout lines and check the secure area. The Guidelines on the artwork template contain:
project line, shape line and secure line.

All major elements should be kept inside the secure line, while the background and graphic should fill to the project line.

The file name should look like:
SYSTEMNAME_FRONT/BACK_DIMENSIONS

Watch our 'how to design artwork' video here

The viewing distance for fabric display will be app 3m, but at least 1m
According to the file format, colour anomalies may occur
We print with a tolerance of 0.1 to 0.2% so a difference of 1mm up to 5mm is normal within a height of 230cm


front1
3200 x 2545 [mm]

front2

1700 x 1650 [mm]


back1
3200 x 2545 [mm]

back2

1700 x 1650 [mm]

base

500 x 1600 [mm]

top

500 x 3200 [mm]

left

500 x 4250 [mm]

right

500 x 4250 [mm]


ring1
1100 x 1100 [mm]


ring2
1100 x 1100 [mm]


ring3
1100 x 600 [mm]


ring4
1100 x 600 [mm]

sidering1

500 x 2000 [mm]

sidering2

500 x 2000 [mm]